




elnagh

NOTES - This catalogue does not represent contractual documentation, rather only general information. SEA S.p.A. reserves the right to change the features and fitting of any of its models without prior notice; all data contained in this brochure is therefore to be considered as indicative and nonbinding. For the above reasons, all information relating to the specifications and equipment of each model must be requested prior to purchase from the dealer, who, as the sole contact person, will confirm or correct the data published by updating the customer on the characteristics and actual equipment of the relevant vehicle being negotiated. Despite careful content checks, possible printing and/or translation errors cannot be excluded. This catalogue does not constitute contractual documentation. Any reproduction, even partial, of the text or contents of this document is prohibited. We disclaim all liability in the event of structural modifications made to the vehicle; any assembly, disassembly or modifications carried out at unauthorised workshops may endanger your safety and also lead to the voiding of warranty clauses. For more information on installation and technical details, please contact the authorised sales network.



**ESSENTIAL INFORMATION TO
HELP YOU CHOOSE YOUR VEHICLE**

BARON COMPACT 531



MECHANICS AND CHASSIS

	B	NB
MECHANICAL UNIT	FORD TRANSIT	FORD TRANSIT
ENGINE, POWER	2.0 130CV	2.0 130CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2725	2725
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	265	265
WHEELBASE (MM)	3300	3300
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	16" STEEL
CAB AIR CONDITIONING	AUTOMATIC	AUTOMATIC
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK COMPACT)*	S (PACK COMPACT)*
PAINTED FRONT BUMPER	S (PACK COMPACT)*	S (PACK COMPACT)*
FOG LIGHTS	S	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

	B	NB
EXTERNAL LENGTH (MM)	5990	5990
EXTERNAL WIDTH (MM)	2150	2150
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	4	4
BERTHS	3 (+1 OPT)	2 (+1 OPT)
REAR BED (CM)	201X129(119)	201X129(119)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	188X89(50) (OPT, 5 KG)	188X89(50) (OPT, 5 KG)
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	190X90	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-	-
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

	B	NB
BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 90 / 90	20 / 90 / 90
FRIDGE (LT)	152 (COMPRESSOR)	152 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	S
CP PLUS	S (PACK COMPACT)*	S (PACK COMPACT)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

	B	NB
PANORAMIC ROOF (MM)	S (PACK COMPACT)*	S (PACK COMPACT)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	-
DINETTE SKYLIGHT (MM)	-	S (700X500)
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

	B	NB
PLEATED CABIN BLIND	S (PACK COMPACT)*	S (PACK COMPACT)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK COMPACT)*	S (PACK COMPACT)*
AWNING	O (PACK PLEIN AIR 28 KG)	O (PACK PLEIN AIR 28 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK COMPACT)*	S (PACK COMPACT)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 28 KG)	O (PACK PLEIN AIR 28 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available



WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON COMPACT 539



MECHANICS AND CHASSIS

	B	NB
MECHANICAL UNIT	FORD TRANSIT	FORD TRANSIT
ENGINE, POWER	2.0 130CV	2.0 130CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2775	2775
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	280	280
WHEELBASE (MM)	3750	3750
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	16" STEEL
CAB AIR CONDITIONING	AUTOMATIC	AUTOMATIC
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK COMPACT)*	S (PACK COMPACT)*
PAINTED FRONT BUMPER	S (PACK COMPACT)*	S (PACK COMPACT)*
FOG LIGHTS	S	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

	B	NB
EXTERNAL LENGTH (MM)	6690	6690
EXTERNAL WIDTH (MM)	2150	2150
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	4	4
BERTHS	3 (+1 OPT)	2 (+1 OPT)
REAR BED (CM)	201X79 - 201X79 - 199X130	201X79 - 201X79 - 199X130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	188X89(50) (OPT, 5 KG)	188X89(50) (OPT, 5 KG)
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	190X90	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S	S
LOCKER (USEFUL OPENING, CM)	120X90 - 120X65	120X90 - 120X65
MAX. INTERNAL GARAGE HEIGHT (CM)	120	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

	B	NB
BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90	20 / 100 / 90
FRIDGE (LT)	152 (COMPRESSOR)	152 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	S
CP PLUS	S (PACK COMPACT)*	S (PACK COMPACT)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

	B	NB
PANORAMIC ROOF (MM)	S (PACK COMPACT)*	S (PACK COMPACT)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	-	S (700X500)
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

	B	NB
PLEATED CABIN BLIND	S (PACK COMPACT)*	S (PACK COMPACT)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK COMPACT)*	S (PACK COMPACT)*
AWNING	O (PACK PLEIN AIR 28 KG)	O (PACK PLEIN AIR 28 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK COMPACT)*	S (PACK COMPACT)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 28 KG)	O (PACK PLEIN AIR 28 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available

WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON COMPACT



OPTIONAL PACK



COMPACT PACK (1)	KG
FORD TRANSIT 2.0 L 165 HP BUMPER PAINTED IN THE SAME COLOUR AS THE BODYWORK XL DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING 200W SOLAR PANEL WITH MPPT CONTROLLER CP-PLUS CONTROL PANEL 32" TV ARM SKYROOF SINK COVER CAB SEAT COVERS PLEATED CAB BLINDS	*
MATIC PACK	KG
8-SPEED AUTOMATIC TRANSMISSION	62
FORD DESIGN PACK (2)	KG
MOONDUST SILVER CABIN COLOUR 16" ALLOY WHEELS	-13
EXTRA ASSISTANCE PACK (2)	KG
ELECTRIC WINDSHIELD DEFROSTER ADAPTIVE CRUISE CONTROL WITH LANE CENTRING AND STOP&GO PRE-COLLISION ASSIST 2.2 SPEED LIMIT RECOGNITION 3 (INTEGRATED WITH ADAPTIVE CRUISE CONTROL) ELECTRICALLY FOLDING WING MIRRORS NAVIGATION SYSTEM (INCLUDES ONE YEAR'S SUBSCRIPTION)	0
PLEIN AIR PACK	KG
ANTHRACITE AWNING (531: 3M - 539: 3.5M) EXTERNAL GAS OUTLET SHOWER IN GARAGE	28
BOOST PACK	KG
SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER SECOND 22A BATTERY CHARGER 2 X 100AH LITHIUM BATTERIES	34
WINTER PACK	KG
INSULATED AND HEATED GREY WATER TANK INSULATED ENTRANCE STEP	11
32" SAT TV PACK	KG
SATELLITE ANTENNA 32" TV (SMART TV)	18
32" WI-FI TV PACK	KG
WI-FI ROUTER 32" TV (SMART TV)	7

(1) Compact Pack is mandatory.

(2) MATIC Pack is mandatory.

* The weight of the Compact Pack is already included in the vehicle.

BARON COMPACT



AVAILABLE OPTIONS



		LOW PROFILE			
		531 NB	531	539 NB	539
CHASSIS	KG				
Heavy chassis 4,100 kg *	0	O	O	O	O
Bi-Xenon headlights with LED DRL*	0	O	O	O	O


* Matic Pack and Design Pack are mandatory.

LIVING AREA	KG				
Dinette conversion into bed	5	O	O	O	O
Conversion of twin beds into a 190cm-long double bed	7	-	-	O	O
Gaze upholstery (imitation leather)	0	O	O	O	O
Rear skylight – Midi Heki [700x500]	5	-	O	-	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O
Oven	14	O	O	O	O
Day/night separation curtain	2	O	O	O	O
Truma Combi 6 Diesel heater (6000W)	0	O	O	O	O
Truma Combi 6 Diesel + Electric Heater (6000W)	1	O	O	O	O
Electrically heated floor *	7	O	O	O	O
Bicycle rack	12,5	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O
Separation curtain between cab and living area	3	O	O	O	O

* Only available in combination with Combi 6 Diesel + Electric.

O = Option - = Not available

BARON 20



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT	FIAT DUCATO
ENGINE, POWER	2.0 130CV	2,2 140 CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2967	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	25	75
WHEELBASE (MM)	3750	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	15" STEEL
CAB AIR CONDITIONING	AUTOMATIC	MANUAL
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990	6990
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040	3200 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	6	6
BERTHS	8	8
REAR BED (CM)	200X127(110) - 208X128(110)	200X127(110) - 208X128(110)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	180X121	180X121
OVERCAB BED (CM)	211(193)X160	211(193)X160
ELEVATING BED (CM)	-	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-	-
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	124	124
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	-	-
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	-	-
DINETTE SKYLIGHT (MM)	S (400X400)	S (400X400)
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	1 X 200 W (PACK BARON)
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available



WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 22



MECHANICS AND CHASSIS

	FORD TRANSIT	FIAT DUCATO
MECHANICAL UNIT	2.0 130CV	2,2 140 CV
ENGINE, POWER	S	S
MANUAL GEARBOX	3500	3500
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	2907	2878
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	0	10
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	3750	3800
WHEELBASE (MM)	2000	2000
MAXIMUM TOWABLE WEIGHT (KG)	16" STEEL	15" STEEL
WHEELS DIMENSIONS	AUTOMATIC	MANUAL
CAB AIR CONDITIONING	S	S
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

	6990	6990
EXTERNAL LENGTH (MM)	2350	2350
EXTERNAL WIDTH (MM)	3200 / 2040	3200 / 2040
EXTERNAL / INTERNAL HEIGHT (MM)	S	S
ISOFIX	7	7
HOMOLOGATED SEATS	7	7
BERTHS	215X80 - 215X80	215X80 - 215X80
REAR BED (CM)	180X120 - 140X64	180X120 - 140X64
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	211(193)X160	211(193)X160
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	-	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-	-
LOCKER (USEFUL OPENING, CM)	115X65 - 115X65	115X65 - 115X65
MAX. INTERNAL GARAGE HEIGHT (CM)	135	135
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

	2	2
BURNERS	20 / 100 / 100	20 / 100 / 100
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	137 (TRIVALENT)	137 (TRIVALENT)
FRIDGE (LT)	COMBI 4 DIESEL	COMBI 4 DIESEL
HEATING SYSTEM (KW)	MAX 20 KG	MAX 20 KG
MAX CAPACITY OF GAS LOCKER (KG)	S	O (PACK MOTION - 9 KG)
ELECTRIC HANDBRAKE	S (PACK BARON)*	S (PACK BARON)*
CP PLUS	-	-
TRUMA INETX - CONTROL PANEL + APP	S	S
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

	-	-
PANORAMIC ROOF (MM)	S (400X400)	S (400X400)
REAR SKYLIGHT (MM)	-	-
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	28X28	28X28
TOILETTE PORTLIGHT (CM)	S	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	-	-

EQUIPMENTS

	S (PACK BARON)*	S (PACK BARON)*
PLEATED CABIN BLIND	S	S
REAR CAMERA	S (PACK BARON)*	1 X 200 W (PACK BARON)
SOLAR PANEL WITH REGULATOR	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
AWNING	S (PACK BARON)*	S (PACK BARON)*
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S	S
FLYSCREEN FOR ENTRANCE DOOR	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S	S
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 65



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT	FIAT DUCATO
ENGINE, POWER	2.0 130CV	2,2 140 CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2967	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	110	160
WHEELBASE (MM)	3750	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	15" STEEL
CAB AIR CONDITIONING	AUTOMATIC	MANUAL
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990	6990
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040	3200 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	S	S
BERTHS	5	5
REAR BED (CM)	191X80 - 208X80 - 212X130	191X80 - 208X80 - 212X130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X65(43)	216X65(43)
OVERCAB BED (CM)	211(193)X160	211(193)X160
ELEVATING BED (CM)	-	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S	S
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	-	-
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	-	-
DINETTE SKYLIGHT (MM)	S (400X400)	S (400X400)
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	1 X 200 W (PACK BARON)
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 560



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT	FIAT DUCATO
ENGINE, POWER	2.0 130CV	2,2 140 CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	160	160
WHEELBASE (MM)	3750	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	15" STEEL
CAB AIR CONDITIONING	AUTOMATIC	MANUAL
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990	6990
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	5	5
BERTHS	5	5
REAR BED (CM)	210X140	210X140
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X84	216X84
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	203X135(114)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-	-
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	125	125
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK BARON)*	S (PACK BARON)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	-	-
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	S (PACK BARON)*
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 565



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT	FIAT DUCATO
ENGINE, POWER	2.0 130CV	2,2 140 CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2898	2928
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	160	130
WHEELBASE (MM)	3750	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	15" STEEL
CAB AIR CONDITIONING	AUTOMATIC	MANUAL
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990	6990
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	S	S
BERTHS	5	5
REAR BED (CM)	191X80 - 208X80 - 212X130	191X80 - 208X80 - 212X130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X65(43)	216X65(43)
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	203X135(114)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S	S
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	117	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK BARON)*	S (PACK BARON)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	-	-
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	S (PACK BARON)*
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available



WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 573



MECHANICS AND CHASSIS

	FORD TRANSIT	FIAT DUCATO
MECHANICAL UNIT	2.0 130CV	2,2 140 CV
ENGINE, POWER	S	S
MANUAL GEARBOX	3500	3500
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	2940	2928
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	130	140
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	3954	4035
WHEELBASE (MM)	2000	2000
MAXIMUM TOWABLE WEIGHT (KG)	16" STEEL	15" STEEL
WHEELS DIMENSIONS	AUTOMATIC	MANUAL
CAB AIR CONDITIONING	S	S
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450	7450
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	5	5
BERTHS	5	5
REAR BED (CM)	200X80 - 200X80 - 215X130	200X80 - 200X80 - 215X130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X65	216X65
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	203X135(114)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S	S
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	117	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK BARON)*	S (PACK BARON)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	-	-
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	S (PACK BARON)*
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available



WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



BARON 579



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT	FIAT DUCATO
ENGINE, POWER	2.0 130CV	2,2 140 CV
MANUAL GEARBOX	S	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2925	2918
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140	140
WHEELBASE (MM)	3954	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000	2000
WHEELS DIMENSIONS	16" STEEL	15" STEEL
CAB AIR CONDITIONING	AUTOMATIC	MANUAL
DRIVER AND PASSENGER AIRBAG	S	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S	S
ABS / ESC / TRACTION+	S / S / -	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S	S
CAB SEAT COVERS	S (PACK BARON)*	S (PACK BARON)*
PAINTED FRONT BUMPER	S (PACK BARON)*	S (PACK BARON)*
FOG LIGHTS	S	S (PACK BARON)*
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450	7450
EXTERNAL WIDTH (MM)	2350	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040	2850 / 2040
ISOFIX	S	S
HOMOLOGATED SEATS	5	5
BERTHS	5	5
REAR BED (CM)	190X150	190X150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X65	216X65
OVERCAB BED (CM)	-	-
ELEVATING BED (CM)	203X135(114)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-	-
LOCKER (USEFUL OPENING, CM)	115X90 - 115X90	115X90 - 115X90
MAX. INTERNAL GARAGE HEIGHT (CM)	117	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S	S

INSTALLATIONS

BURNERS	2	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100	20 / 100 / 100
FRIDGE (LT)	137 (TRIVALENT)	137 (TRIVALENT)
HEATING SYSTEM (KW)	COMBI 4 DIESEL	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG	MAX 20 KG
ELECTRIC HANDBRAKE	S	O (PACK MOTION - 9 KG)
CP PLUS	S (PACK BARON)*	S (PACK BARON)*
TRUMA INETX - CONTROL PANEL + APP	-	-
INTEGRATED AND ISOLATED ENTRY STEP	S	S
HEATED GARAGE LOCKER	S	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK BARON)*	S (PACK BARON)*
REAR SKYLIGHT (MM)	S (400X400)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)	S (400X400)
DINETTE SKYLIGHT (MM)	-	-
TOILETTE PORTLIGHT (CM)	28X28	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK BARON)*	S (PACK BARON)*
REAR CAMERA	S	S
SOLAR PANEL WITH REGULATOR	S (PACK BARON)*	S (PACK BARON)*
AWNING	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK BARON)*	S (PACK BARON)*
FLYSCREEN FOR ENTRANCE DOOR	S	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S	S
LED REAR LIGHTS	S	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available

WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



OPTIONAL PACK



FIAT PACK LOW PROFILE (1)	KG
FOG LIGHTS	
FRONT BUMPER IN THE SAME COLOUR AS THE BODYWORK	
BLACK SKID PLATE	
16" TWO-TONE ALLOY WHEELS	
SLIDING DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING	
200W SOLAR PANEL WITH MPPT CONTROLLER	*
CP-PLUS CONTROL PANEL	
SKYROOF	
PLEATED CAB BLACKOUT BLINDS	
32" TV SUPPORT ARM	
SINK COVER	
CAB SEAT COVERS	
FIAT PACK OVERCAB (1)	KG
FOG LIGHTS	
FRONT BUMPER IN THE SAME COLOUR AS THE BODYWORK	
BLACK SKID PLATE	
16" TWO-TONE ALLOY WHEELS	
SLIDING DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING	
200W SOLAR PANEL WITH MPPT CONTROLLER	*
CP-PLUS CONTROL PANEL	
PLEATED CAB BLACKOUT BLINDS	
32" TV SUPPORT ARM	
SINK COVER	
CAB SEAT COVERS	
MATIC PACK	KG
8-SPEED AUTOMATIC TRANSMISSION	48 (**60)
MOTION PACK	KG
STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH COATING	
TECHNO DASHBOARD	-9
ELECTRIC HANDBRAKE	
EXTRA TECH PACK (2)	KG
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL)	
AUTOMATIC CLIMATE CONTROL	1
WIRELESS SMARTPHONE CHARGER	
FULL LED HEADLIGHTS	
EXTRA SAFETY PACK (2)	KG
ADAPTIVE CRUISE CONTROL	0
LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM DETECTION	
PLEIN AIR PACK	KG
ANTHRACITE AWNING (BARON 20, 560, 565: 4M - BARON 22, 65, 573, 575: 4.5M)	
EXTERNAL GAS OUTLET	32
SHOWER IN GARAGE	
WINTER PACK	KG
INSULATED AND HEATED GREY WATER TANK	11
INSULATED ENTRANCE STEP	
32" SAT TV PACK	KG
SATELLITE ANTENNA	18
32" TV (SMART TV)	
32" WI-FI TV PACK	KG
WI-FI ROUTER	7
32" TV (SMART TV)	

* Weight already included in the vehicle.

** Weight for HEAVY chassis.

(1) Fiat Pack Low Profile and Fiat Pack Overcab are mandatory.

(2) Motion Pack is mandatory.

AVAILABLE OPTIONS



CHASSIS	KG	MANSARDATO			PROFILATO			
		20	22	65	560	565	573	579
160 hp	Manual: 10 Automatic: 48 ****	O	O	O	O	O	O	O
180 hp Automatic transmission	48 ****	O	O	O	O	O	O	O
"SOLID" interior colour - EXPEDITION GREY [676]	0	O	O	O	O	O	O	O
"METALLIC" interior colour - ARTENSE GREY [113]	0	O	O	O	O	O	O	O
Increased maximum permissible mass to 3,650 kg	0	O	O	O	O	O	O	O
HEAVY** chassis with maximum authorised mass of 4,250 kg* / 4,400 kg*	Manual: 62 Automatic: 82***	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT / 180 hp AT	4.25t: 140 hp M-AT / 160 hp M 4.4t: 160 hp AT / 180 hp AT
Pioneer radio navigation system with 3-year subscription to European maps	0	O	O	O	O	O	O	O

* All HEAVY chassis can also be approved for 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Automatic gearbox weight is already included.

**** 82 kg for HEAVY chassis.

O = Option - = Not available M = Manual AT: Automatic

LIVING AREA	KG							
Dinette conversion into bed (extra sleeping space)	5	S	S	S	S	S	S	S
Gaze upholstery (faux leather)	0	O	O	O	O	O	O	O
Conversion of twin beds into a 190cm-long double bed	7	-	-	O	-	O	O	-
Lithium battery + 22A battery charger	11	O	O	O	O	O	O	O
Rear skylight – Midi Heki [700x500]	5	O	-	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O
Truma Combi 6 Gas heater (6000W)	0	O	O	O	O	O	O	O
Truma Combi 6 Gas + Electric Heating (6,000W)	1	O	O	O	O	O	O	O
Truma Combi 6 Diesel heater (6000W)	0	O	O	O	O	O	O	O
Truma Combi 6 Diesel + Electric Heater (6000W)	1	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O	O	O	O
Separation curtain between cab and living area	3	O	O	O	O	O	O	O

* Only available in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.

O = Option S = Standard - = Not available

OPTIONAL PACK



PACK FORD LOW PROFILE (1)	kg
FORD TRANSIT 2.0 L 165 HP BUMPER PAINTED IN THE SAME COLOUR AS THE BODYWORK XL DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING 200W SOLAR PANEL WITH MPPT CONTROLLER CP-PLUS CONTROL PANEL 32" TV ARM SKYROOF SINK COVER CAB SEAT COVERS PLEATED CAB BLINDS	*
PACK FORD OVERCAB (1)	kg
FORD TRANSIT 2.0 L 165 HP BUMPER PAINTED IN THE SAME COLOUR AS THE BODYWORK XL DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING 200W SOLAR PANEL WITH MPPT CONTROLLER CP-PLUS CONTROL PANEL 32" TV ARM SINK COVER CAB SEAT COVERS PLEATED CAB BLINDS	*
MATIC PACK	kg
8-SPEED AUTOMATIC TRANSMISSION	62
FORD DESIGN PACK (2)	kg
MOONDUST SILVER CABIN COLOUR 16" ALLOY WHEELS	-13
EXTRA ASSISTANCE PACK (2) (3)	kg
ELECTRIC WINDSHIELD DEFROSTER ADAPTIVE CRUISE CONTROL WITH LANE CENTRING AND STOP&GO PRE-COLLISION ASSIST 2.2 SPEED LIMIT RECOGNITION 3 (INTEGRATED WITH ADAPTIVE CRUISE CONTROL) NAVIGATION SYSTEM (INCLUDES ONE YEAR'S SUBSCRIPTION)	0
PLEIN AIR PACK	kg
ANTHRACITE AWNING (BARON 20, 560, 565: 4M - BARON 22, 65, 573, 575: 4.5M) EXTERNAL GAS OUTLET SHOWER IN GARAGE	32
WINTER PACK	kg
INSULATED AND HEATED GREY WATER TANK INSULATED ENTRANCE STEP	11
32" SAT TV PACK	kg
SATELLITE ANTENNA 32" TV (SMART TV)	18
32" WI-FI TV PACK	kg
WI-FI ROUTER 32" TV (SMART TV)	7

* Weight already included in the vehicle.

(1) Pack Ford Low Profile and Pack Ford Overcab are mandatory.

(2) Matic Pack required

(3) HEAVY chassis mandatory (approved for 3.5 t)

AVAILABLE OPTIONS



	KG	OVERCAB			LOW PROFILE			
		20	22	65	560	565	573	579
CHASSIS								
Heavy chassis 4,100 kg *	0	O	O	O	O	O	O	O
Increase of maximum permissible weight to 3,550 kg	0	O	O	O	O	O	O	O
Bi-Xenon headlights with LED DRL**	0	O	O	O	O	O	O	O

*Automatic gearbox and Extra Assistance Pack are mandatory. Can be approved for 3,500 kg.

** Matic Pack and Design Pack are mandatory.


O = Option

LIVING AREA	KG							
Dinette conversion into bed (extra sleeping space)	5	S	S	S	S	S	S	S
Gaze upholstery (imitation leather)	0	O	O	O	O	O	O	O
Conversion of twin beds into a 190cm-long double bed	7	-	-	O	-	O	O	-
Lithium battery + 22A battery charger	11	O	O	O	O	O	O	O
Rear skylight – Midi Heki [700x500]	5	O	-	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O
Truma Combi 6 Gas heater (6000W)	0	O	O	O	O	O	O	O
Truma Combi 6 Gas + Electric Heating (6,000W)	1	O	O	O	O	O	O	O
Truma Combi 6 Diesel heater (6000W)	0	O	O	O	O	O	O	O
Truma Combi 6 Diesel + Electric Heater (6000W)	1	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O	O	O	O
Separation curtain between cab and living area	3	O	O	O	O	O	O	O

* Only available in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.

O = Option S = Standard - = Not available-

T-LOFT 450



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK T-LOFT)*
PAINTED FRONT BUMPER	S (PACK T-LOFT)*
FOG LIGHTS	S (PACK T-LOFT)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207X137
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X85
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203X135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION -9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK T-LOFT)*
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK T-LOFT)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK T-LOFT)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK T-LOFT)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



T-LOFT 529



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2928
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	110
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK T-LOFT)*
PAINTED FRONT BUMPER	S (PACK T-LOFT)*
FOG LIGHTS	S (PACK T-LOFT)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200X81 - 199X81 - 215X165
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X85(65)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203X135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION -9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK T-LOFT)*
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK T-LOFT)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK T-LOFT)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK T-LOFT)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



T-LOFT 530



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2928
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	120
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK T-LOFT)*
PAINTED FRONT BUMPER	S (PACK T-LOFT)*
FOG LIGHTS	S (PACK T-LOFT)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200X81 - 200X81 - 215X171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION- 9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK T-LOFT)*
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK T-LOFT)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK T-LOFT)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK T-LOFT)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



T-LOFT 532



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2978
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	150
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK T-LOFT)*
PAINTED FRONT BUMPER	S (PACK T-LOFT)*
FOG LIGHTS	S (PACK T-LOFT)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	200X81 - 200X81 - 215X171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X80 (OPT, 5 KG)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203X135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION- 9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	S (PACK T-LOFT)*
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK T-LOFT)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK T-LOFT)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK T-LOFT)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



T-LOFT 582



MECHANICS AND CHASSIS	
MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2968
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	150
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK T-LOFT)*
PAINTED FRONT BUMPER	S (PACK T-LOFT)*
FOG LIGHTS	S (PACK T-LOFT)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190X150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X80 (OPT, 5 KG)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203X135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION- 9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	S (PACK T-LOFT)*
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK T-LOFT)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK T-LOFT)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK T-LOFT)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available

WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



OPTIONAL PACK



MATIC PACK	kg
8-SPEED AUTOMATIC TRANSMISSION	48 (*60)
MOTION PACK	kg
STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH COATING TECHNO DASHBOARD ELECTRIC HANDBRAKE	-9
EXTRA TECH PACK (1)	kg
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) AUTOMATIC CLIMATE CONTROL WIRELESS SMARTPHONE CHARGER FULL LED HEADLIGHTS	1
EXTRA TECH MH PACK (1)	kg
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) AUTOMATIC CLIMATE CONTROL WIRELESS SMARTPHONE CHARGER	1
EXTRA SAFETY PACK (1)	kg
ADAPTIVE CRUISE CONTROL LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM DETECTION	0
PLEIN AIR T-LOFT PACK	kg
ANTHRACITE AWNING (450/529: 4M - 532/530/582: 4.5M EXTERNAL GAS OUTLET SHOWER IN GARAGE	32
PLEIN AIR MAGNUM PACK	kg
5M ANTHRACITE AWNING EXTERNAL GAS OUTLET SHOWER IN GARAGE	36
BOOST PACK	kg
2ND 200W SOLAR PANEL WITH MPPT CONTROLLER 2 X 100AH LITHIUM BATTERIES	34
32" SAT TV PACK	kg
SATELLITE ANTENNA 32" TV (SMART TV)	18
32" WI-FI TV PACK	kg
WI-FI ROUTER 32" TV (SMART TV)	7

* Weight for HEAVY chassis.
(1) Motion Pack is mandatory.

AVAILABLE OPTIONS



CHASSIS	KG	LOW PROFILE				
		450	529	532	530	582
160 hp	Manual: 10 Automatic: 48 ****	O	O	O	O	O
180 hp Automatic transmission	48 ****	O	O	O	O	O
"SOLID" INTERIOR COLOUR - EXPEDITION GREY [676]	0	O	O	O	O	O
"METALLIC" INTERIOR COLOUR - ARTENSE GREY [113]	0	O	O	O	O	O
INCREASED MAXIMUM PERMISSIBLE MASS TO 3,650 KG	0	O	O	O	O	O
HEAVY** CHASSIS WITH MAXIMUM AUTHORISED MASS OF 4,250 KG* / 4,400 KG*	MANUAL: 62 AUTOMATIC: 82***	4.25T: 140 HP M-AT / 160 HP M 4.4T: 160 HP AT	4.25T: 140 HP M-AT / 160 HP M 4.4T: 160 HP AT	4.25T: 140 HP M-AT / 160 HP M 4.4T: 160 HP AT / 180 HP AT	4.25T: 140 HP M-AT / 160 HP M 4.4T: 160 HP AT / 180 HP AT	4.25T: 140 HP M-AT / 160 HP M 4.4T: 160 HP AT / 180 HP AT
Pioneer radio navigation system with 3-year subscription to European maps	0	O	O	O	O	O

* All HEAVY chassis can also be approved for 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Automatic gearbox weight is already included.

**** 82 kg for HEAVY chassis.


O = Option - = Not available M = Manual AT: Automatic-

LIVING AREA	KG					
Dinette conversion into bed (extra sleeping space)	5	S	S	O (+1)	S	O (+1)
Cell upholstery (microfibre)	-	O	O	O	O	O
Front skylight – Heki 3 [900x600]	6	-	-	-	-	-
Rear skylight – [700x500]	5	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O
Oven	14	O	O	O	O	O
Bicycle rack	10	O	O	O	O	O
Truma Combi 6 Gas heater (6000W)	-	O	O	O	O	O
Truma Combi 6 Gas + Electric Heating (6,000W)	1	O	O	O	O	O
Truma Combi 6 Diesel heater (6000W)	-	O	O	O	O	O
Truma Combi 6 Diesel + Electric Heater (6000W)	1	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O
Separation curtain between cab and living area	3	O	O	O	O	O

* Only available in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.

O = Option S = Standard - = Not available-

MAGNUM 530



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2928
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	120
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (SEDILI FODERATI)
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200X81 - 200X81 - 215X171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X60
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190X145
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION- 9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	S (700X500)
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK MAGNUM)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK MAGNUM)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK MAGNUM)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available


WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



MAGNUM 582



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2968
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	150
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	MANUAL
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (SEDILI FODERATI)
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190X150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216X80 (OPT, 5 KG)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190X145
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120X90 - 120X90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158 (COMPRESSOR)
HEATING SYSTEM (KW)	COMBI 4 DIESEL
MAX CAPACITY OF GAS LOCKER (KG)	MAX 20 KG
ELECTRIC HANDBRAKE	O (PACK MOTION - 9 KG)
CP PLUS	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	S (400X400)
CENTRAL SKYLIGHT (MM)	S (400X400)
DINETTE SKYLIGHT (MM)	S (700X500)
TOILETTE PORTLIGHT (CM)	28X28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK MAGNUM)*
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (PACK MAGNUM)*
AWNING	O (PACK PLEIN AIR 32 KG)
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S (PACK MAGNUM)*
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	O (PACK PLEIN AIR 32 KG)
EXTERNAL LED LIGHT	S
LED REAR LIGHTS	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

O = Option S = Standard - = Not available

WWW.ELNAGH.COM



ESSENTIAL INFORMATION TO HELP YOU
CHOOSE YOUR VEHICLE



OPTIONAL PACK



MATIC PACK	kg
8-SPEED AUTOMATIC TRANSMISSION	48 (*60)
MOTION PACK	kg
STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH COATING TECHNO DASHBOARD ELECTRIC HANDBRAKE	-9
EXTRA TECH PACK (1)	kg
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) AUTOMATIC CLIMATE CONTROL WIRELESS SMARTPHONE CHARGER FULL LED HEADLIGHTS	1
EXTRA TECH MH PACK (1)	kg
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) AUTOMATIC CLIMATE CONTROL WIRELESS SMARTPHONE CHARGER	1
EXTRA SAFETY PACK (1)	kg
ADAPTIVE CRUISE CONTROL LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM DETECTION	0
PLEIN AIR T-LOFT PACK	kg
ANTHRACITE AWNING (450/529: 4M - 532/530/582: 4.5M EXTERNAL GAS OUTLET SHOWER IN GARAGE	32
PLEIN AIR MAGNUM PACK	kg
5M ANTHRACITE AWNING EXTERNAL GAS OUTLET SHOWER IN GARAGE	36
BOOST PACK	kg
2ND 200W SOLAR PANEL WITH MPPT CONTROLLER 2 X 100AH LITHIUM BATTERIES	34
32" SAT TV PACK	kg
SATELLITE ANTENNA 32" TV (SMART TV)	18
32" WI-FI TV PACK	kg
WI-FI ROUTER 32" TV (SMART TV)	7

* Weight for HEAVY chassis.
(1) Motion Pack is mandatory.

AVAILABLE OPTIONS



CHASSIS	KG	INTEGRATED	
		530	582
160 hp	"Manual: 10 Automatic: 48 *****"	O	O
180 hp Automatic transmission	48 ****	O	O
"SOLID" INTERIOR COLOUR - EXPEDITION GREY [676]	0	O	O
"METALLIC" INTERIOR COLOUR - ARTENSE GREY [113]	0	O	O
INCREASED MAXIMUM PERMISSIBLE MASS TO 3,650 KG	0	O	O
HEAVY** CHASSIS WITH MAXIMUM AUTHORISED MASS OF 4,250 KG* / 4,400 KG*	"MANUAL: 62 AUTOMATIC: 82*****"	4.4T: 160HP AT / 180HP AT	4.4T: 160HP AT / 180HP AT
Pioneer radio navigation system with 3-year subscription to European maps	0	O	O

* All HEAVY chassis can also be approved for 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Automatic gearbox weight is already included.



**** 82 kg for HEAVY chassis.

O = Option - = Not available M = Manual AT: Automatic-

LIVING AREA	kg		
Dinette conversion into bed (extra sleeping space)	5	S	O (+1)
Cell upholstery (microfibre)	0	O	O
Front skylight – Heki 3 [900x600]	6	O	O
Rear skylight – [700x500]	5	O	O
Omnivent skylight [400x400, with fan]	2	O	O
Oven	14	O	O
Bicycle rack	10	O	O
Truma Combi 6 Gas heater (6000W)	0	O	O
Truma Combi 6 Gas + Electric Heating (6,000W)	1	O	O
Truma Combi 6 Diesel heater (6000W)	0	O	O
Truma Combi 6 Diesel + Electric Heater (6000W)	1	O	O
Electrically heated floor *	7	O	O
Separation curtain between cab and living area	3	-	-

* Only available in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.

E-VAN K2



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2854
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	320
WHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5410
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194X136(125)
POP-UP BED + PORTLIGHT (CM)	-
TRANSVERSAL BED IN DINETTE	-
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	90 / 90 / 75
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	S
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN 2



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2774
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	370
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194X148
POP-UP BED + PORTLIGHT (CM)	-
TRANSVERSAL BED IN DINETTE	-

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN 5



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2844
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	325
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4
REAR BED (CM)	186X145 - 184X133
POP-UP BED + PORTLIGHT (CM)	-
TRANSVERSAL BED IN DINETTE	-

INSTALLATIONS

BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 90 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-



*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN DUO



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	265
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" STEEL
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	190X80 - 185X82 - 194X190(185)
POP-UP BED + PORTLIGHT (CM)	-
TRANSVERSAL BED IN DINETTE	-
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

AVAILABLE OPTIONS

		E-VAN			
		K2	2	5	DUO
CHASSIS	KG				
Delta 120HP - 140HP	0	O	O	O	S

- S = Standard O = Option - = Not available-



MATIC PACK (NOT AVAILABLE ON 120HP)	KG
8-SPEED AUTOMATIC GEARBOX	60

AVAILABLE OPTIONS

		E-VAN			
		K2	2	5	DUO
CHASSIS	KG				
Delta 120CV - 140CV	0	O	O	O	S

S = Standard O = Opzionale - = Non disponibile

E-VAN NEXT K2



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2854
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	310
WHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5410
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194X136(125)
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	90 / 90 / 75
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	S
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN NEXT 2



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2774
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	275
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194X148
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN NEXT 5



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2844
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	255
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4
REAR BED (CM)	186X145 - 184X133
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)

INSTALLATIONS

BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 90 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN NEXT DUO



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BLUEHD1 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	175
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	190X80 - 185X82 - 194X190(185)
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

OPTIONAL PACK

DRIVE PACK	KG
SEAT COVERS	
EXTERIOR LIGHT	
CP PLUS CONTROL PANEL	
MIDI HEKI SKYLIGHT (700X500) IN THE DINETTE AREA	*
FLYSCREEN ON THE SLIDING DOOR	
ELECTRIC ACCESS STEP	
PLEATED CAB BLINDS	
SILVER PACK	KG
200W SOLAR PANEL	*
EXTERNAL AWNING	
MEDIUM PACK	KG
9" PIONEER RADIO WITH BLUETOOTH / APPLE CARPLAY / ANDROID AUTO	
REAR-VIEW CAMERA	4
MOTION PACK	KG
STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH COATING	
TECHNO DASHBOARD	-9
ELECTRIC HANDBRAKE	
MATIC PACK (NOT AVAILABLE ON 120HP)	KG
8-SPEED AUTOMATIC GEARBOX	60
EXTRA SAFETY PACK (1)	KG
ADAPTIVE CRUISE CONTROL	
LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM DETECTION	0
EXTRA TECH PACK (1)	KG
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL)	
AUTOMATIC CLIMATE CONTROL	
WIRELESS SMARTPHONE CHARGER	1
FULL LED HEADLIGHTS	
VISION PACK	KG
ELECTRICALLY FOLDING WING MIRRORS	
BLIND SPOT SENSORS + REAR CROSS-TRAFFIC ALERT	1

(1) MOTION PACK required

* Weight already included in the vehicle. Drive Pack and Silver Pack are mandatory for E-Van Next and E-Van Premium.

AVAILABLE OPTIONS





CHASSIS	KG	E-VAN NEXT			
		K2	2	5	DUO
Delta 120HP - 140HP	0	-	-	-	-
Delta 140 hp - 160 hp	Manual: 10 Automatic: 60	O	O	O	O
Delta 140HP - 180HP Automatic gearbox	60	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 85 kg Automatic: 45 kg	-	4,25T: 140 PS M UND AT / 160 PS M UND AT	4,25T: 140 PS M UND AT / 160 PS M UND AT	4,25T: 160 PS AT / 180 PS AT
Cab colour "SOLID" - Expedition Grey / Lanzarote	0	O	O	O	O
Cab colour "METALLIC" - Iron Grey / Artense Grey / Metallic Black	0	O	O	O	O
Pioneer radio navigation system with 3-year subscription to European maps	0	O	O	O	O

* All HEAVY chassis can also be approved for 3,500 kg.- ** See available engine options in each column.

LIVING AREA	KG				
Sky roof	20	-	-	-	-
AGM service battery	30	O	O	O	O
100Ah lithium battery	13	O	O	O	O
150Ah lithium battery	16	O	O	O	O
POP UP White - Double bed pop-up roof (not compatible with Sky Roof)	134	O	O	O	O
Black POP UP - Double bed pop-up roof (not compatible with Sky Roof)	134	O	O	O	O
Black POP UP + SKY ROOF - Double bed pop-up roof	139	-	-	-	-
Winter Tent for POP UP	2	O	O	O	O
Conversion of dinette into a transverse single bed	15	O	O	O	O
Small auxiliary bed in cab	9	O	O	O	O
Winter Pack (Thermal insulation for grey water tank and external pipes)	3	O	O	O	O
Truma Combi C4 4000W Gas + electric	1	O	O	O	O
Truma Combi C6 6000W Gas	0	O	O	O	O
Truma Combi C6 6000W Gas + electric	1	O	O	O	O
Truma Combi C6 6000W Diesel + electric	1	O	O	O	O

E-VAN PREMIUM 2



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BLUEHDI 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2774
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	280
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194X148
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN PREMIUM 5



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BLUEHDI 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2844
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	260
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4
REAR BED (CM)	186X145 - 184X133
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 90 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN PREMIUM DUO



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BLUEHDI 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	180
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	190X80 - 185X82 - 194X190(185)
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)

INSTALLATIONS

BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN PREMIUM DUO XL



MECHANICS AND CHASSIS	
MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BLUEHDI 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	190
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" ALLOY
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK DRIVE)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK MEDIA 4 KG)
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	188(178)X160 [LIFT POS.] 188(178)X190 [LOW POS.]
POP-UP BED + PORTLIGHT (CM)***	O (200X130)
TRANSVERSAL BED IN DINETTE	185X95/66 (OPT, 15 KG)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	COMBI 4 DIESEL
GAS BOTTLES (MAX KG)*	2X5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK DRIVE)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK DRIVE)*
REAR CAMERA	O (PACK MEDIA 4 KG)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK SILVER)*
AWNING	S (PACK SILVER)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	WHITE
MOSQUITO NET FOR THE SIDE DOOR	S (PACK DRIVE)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK DRIVE)*
EXTERNAL LED LIGHT	S

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)

O = Option S = Standard - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1

E-VAN PREMIUM

OPTIONAL PACK



DRIVE PACK	KG
SEAT COVERS	
EXTERIOR LIGHT	
CP PLUS CONTROL PANEL	
MIDI HEKI SKYLIGHT (700X500) IN THE DINETTE AREA	*
FLYSCREEN ON THE SLIDING DOOR	
ELECTRIC ACCESS STEP	
PLEATED CAB BLINDS	
SILVER PACK	KG
200W SOLAR PANEL	*
EXTERNAL AWNING	
MEDIUM PACK	KG
9" PIONEER RADIO WITH BLUETOOTH / APPLE CARPLAY / ANDROID AUTO	
REAR-VIEW CAMERA	4
MOTION PACK	KG
STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH COATING	
TECHNO DASHBOARD	-9
ELECTRIC HANDBRAKE	
MATIC PACK (NOT AVAILABLE ON 120HP)	KG
8-SPEED AUTOMATIC GEARBOX	60
EXTRA SAFETY PACK (1)	KG
ADAPTIVE CRUISE CONTROL	
LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM DETECTION	0
EXTRA TECH PACK (1)	KG
FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL)	
AUTOMATIC CLIMATE CONTROL	
WIRELESS SMARTPHONE CHARGER	1
FULL LED HEADLIGHTS	
VISION PACK	KG
ELECTRICALLY FOLDING WING MIRRORS	
BLIND SPOT SENSORS + REAR CROSS-TRAFFIC ALERT	1
ARTIC GAS PACK	KG
TRUMA COMBI 6E (6000W) GAS + ELECTRIC	
WINTER PACK (THERMAL INSULATION FOR GREY WATER TANK AND EXTERNAL PIPES)	
INSULATED AND HEATED EXTERNAL PIPES	
DASHBOARD THERMAL COVER	10
CURTAIN KIT (SLIDING CURTAIN IN DINETTE AND REAR DOORS)	
INTERIOR THERMAL COVERS FOR WINDOWS (EXCEPT K2)	
ARTIC DIESEL PACK	KG
TRUMA COMBI 6E (6000W) DIESEL + ELECTRIC	
WINTER PACK (THERMAL INSULATION FOR GREY WATER TANK AND EXTERNAL PIPES)	
INSULATED AND HEATED EXTERNAL PIPES	
DASHBOARD THERMAL COVER	8
CURTAIN KIT (SLIDING CURTAIN IN DINETTE AND REAR DOORS)	
INTERIOR THERMAL COVERS FOR WINDOWS (EXCEPT K2)	

(1) MOTION PACK required

* Weight already included in the vehicle. Drive Pack and Silver Pack are mandatory for E-Van Next and E-Van Premium.

E-VAN PREMIUM



AVAILABLE OPTIONS



		E-VAN PREMIUM CITROËN				E-VAN PREMIUM FIAT			
		2	5	DUO	DUO XL	2	5	DUO	DUO XL
CHASSIS	KG								
Delta 120HP - 140HP	0	-	-	-	-	-	-	-	-
Delta 140 hp - 160 hp	Manual: 10 Automatic: 60	O	O	O	O	O	O	O	O
Delta 140HP - 180HP Automatic gearbox	60	O	O	O	O	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 85 kg Automatic: 45 kg	4,25t: 140 PS M und AT / 160 PS M und AT	4,25t: 140 PS M und AT / 160 PS M und AT	4,25t: 160 PS AT / 180 PS AT	4,25t: 160 PS AT / 180 PS AT	4,25t: 140 PS M und AT / 160 PS M und AT	4,25t: 140 PS M und AT / 160 PS M und AT	4,25t: 160 PS AT / 180 PS AT	4,25t: 160 PS AT / 180 PS AT
Cab colour "SOLID" - Expedition Grey / Lanzarote	0	O	O	O	O	O	O	O	O
Cab colour "METALLIC" - Iron Grey / Artense Grey / Metallic Black	0	O	O	O	O	O	O	O	O
Pioneer radio navigation system with 3-year subscription to European maps	0	O	O	O	O	O	O	O	O

* All HEAVY chassis can also be approved for 3,500 kg.- ** See available engine options in each column.

LIVING AREA									
Sky roof	20	O	O	O	O	O	O	O	O
AGM service battery	30	O	O	O	O	O	O	O	O
100Ah lithium battery	13	O	O	O	O	O	O	O	O
150Ah lithium battery	16	O	O	O	O	O	O	O	O
POP UP White - Double bed pop-up roof (not compatible with Sky Roof)	134	O	O	O	O	O	O	O	O
Black POP UP - Double bed pop-up roof (not compatible with Sky Roof)	134	O	O	O	O	O	O	O	O
Black POP UP + SKY ROOF - Double bed pop-up roof	139	O	O	O	O	O	O	O	O
Winter Tent for POP UP	2	O	O	O	O	O	O	O	O
Conversion of dinette into a transverse single bed	15	O	O	O	O	O	O	O	O
Small auxiliary bed in cab	9	O	O	O	O	O	O	O	O
Winter Pack (Thermal insulation for grey water tank and external pipes)	3	O	O	O	O	O	O	O	O
Truma Combi C4 4000W Gas + electric	1	O	O	O	O	O	O	O	O
Truma Combi C6 6000W Gas	0	O	O	O	O	O	O	O	O
Truma Combi C6 6000W Gas + electric	1	O	O	O	O	O	O	O	O
Truma Combi C6 6000W Diesel + electric	1	O	O	O	O	O	O	O	O
Rear left window	8	O	-	O	O	O	-	O	O
Truma INETX control panel (with app)	0	O	O	O	O	O	O	O	O
Aluminium raised floor + ramp	19	-	-	-	O	-	-	-	O
Storage modules under the twin beds	32	-	-	O	-	-	-	O	-